

# Blue Jeans Cable

Network Cable Test Report -- for more details, protocols, etc. see  
[www.bluejeanscable.com/networkcablereports.htm](http://www.bluejeanscable.com/networkcablereports.htm)



## Cable ID: OCV-50X

Date / Time: 07/22/2013 05:54:18 PM

Headroom 4.0 dB (NEXT 36-45)

Test Limit: ISO Patch Cord Cat6A 15.0m

Cable Type: Cat 6A UTP

Operator: BJC

Software Version: 2.7400

Limits Version: 1.9300

NVP: 68.2%

## Test Summary: FAIL

Model: DTX-1800


Main S/N: 2300619

Remote S/N: 2300620


Main Adapter: DTX-PC6A/MN ISO/IEC

Remote Adapter: DTX-PC6A/SR ISO/IEC


Wire Map	1	2	3	4	5	6	7	8
<b>PASS</b>								
(T568B)	1	2	3	4	5	6	7	8



Length (ft)	[Pair 78]	50
Prop. Delay (ns)	[Pair 45]	82
Delay Skew (ns)	[Pair 45]	8
Resistance (ohms)	[Pair 36]	3.0



	Worst Case Margin		Worst Case Value	
<b>PASS</b>	MAIN	SR	MAIN	SR
Worst Pair	36-45	36-78		
<b>NEXT (dB)</b>	4.0	4.1		
Freq. (MHz)	195.0	463.0		
Limit (dB)	39.2	32.6		



<b>FAIL</b>	MAIN	SR	MAIN	SR
Worst Pair	78	78		
<b>RL (dB)</b>	-0.7 F	-0.7		
Freq. (MHz)	88.8	88.8		
Limit (dB)	18.5	18.5		

